



Postal address: H-6713 Szeged P.O.B. 176, Hungary
Phone: (36) 62/430-109, Fax: (36) 62/430-209
E-mail: mail@dewinter.hu
Office address: MÓRICZ HOUSE, 9. Szent Mihály St, 6721 Szeged
www.baron.hu

PRODUCT TECHNICAL SPECIFICATION

Product:	Pitted sourcherry without added sugar:
Raw material type:	Pandy, origin Hungary
Size:	4250 ml tin
Intrastat code:	2008609010
Ean code:	5997263321005

General product description:	selected, washed, pitted sourcherry „PANDY” variety waterpack, no added sugar, filled into tins, pasteurised product
Storage:	dry place, at 5-25 °C
Shelflife:	3 years after production
Ingredients:	sourcherry, water

Packaging specification:	
Details of can	
Plate thickness (mm)	0,26mm/body; 0,28mm/bottom and top
Tin coating:	according to EU Regulation(Ec) No. 1935/2004, 1895/2005, 1881/2006
Lacquer:	gold/white
Packaging form:	shrinkwrap of 3 tins, one label/shrinkwrap or loose
Inject code:	PROD: dd.mm.2016. 627 LTN 3-4 digit code EXP: 31.12.2019.
Inject place:	top of tin

Packaging details pet tin:					
Primary packaging /unit/					
Material	Composition	Weight in grams	Lenght cm	Width cm	Height cm
Metal tin	Metal	318,6	N/A	15,3	24,7
Secondary					

packaging (if in shrinkfoil)					
Material					
Plastic	Plastic	50g			
Secondary packing (if in carton)					
Carton	Paper	4110g	46,5g	31,0	24,7
Plastic	Plastic	35g			

Product physical-chemical features:	
Net weight:	4100 gr
Drained weight:	2800 gr
Vacuum:	0,3-0,4 bar
pH:	3,50-3,90
Organoleptic:	taste, colour, smell and texture typical of sourcherry
Pittolerance:	below 0,5%

Nutritional information /per 100 gr net weight/:	
Energy:	30kcal 150kJ
Proteins:	0,58g
Carbohydrate:	7,8g
Of which sugars:	1,35
Fat:	0,09g
Of which saturated	-
mono- unsaturated	-
poly- unsaturated	-
Fibres:	0,12g
Calcium (Ca)	11,98 mg
Sodium (Na)	0,001g

Pesticides

Method: MSZ EN 15662:2009

Investigated parameter	Result	Employed method
Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a)	<0.05 mg/kg	LC-MS-MS
Acephate	<0.01 mg/kg	LC-MS-MS
Acetamiprid	<0.01 mg/kg	LC-MS-MS
Acibenzolar-S-Methyl	<0.02 mg/kg	LC-MS-MS
Aclonifen	<0.01 mg/kg	GC-MS
Alachlor	<0.01 mg/kg	LC-MS-MS
Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb)		
- Aldicarb	<0.01 mg/kg	LC-MS-MS
- Aldicarb-Sulfone	<0.01 mg/kg	LC-MS-MS
- Aldicarb-Sulfoxide	<0.01 mg/kg	LC-MS-MS
Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)		
- Aldrin	<0.01 mg/kg	GC-MS
- Dieldrin	<0.01 mg/kg	GC-MS
Allethrin	<0.01 mg/kg	LC-MS-MS
Ametryn	<0.01 mg/kg	LC-MS-MS
Amidosulfuron	<0.01 mg/kg	LC-MS-MS
Aminocarb	<0.01 mg/kg	LC-MS-MS
Aminocarb	<0.01 mg/kg	LC-MS-MS
Amitraz (amitraz including the metabolites containing the 2,4 - dimethylaniline moiety expressed as amitraz)		
- Amitraz	<0.01 mg/kg	LC-MS-MS
- Dimethylphenylformamide, 2,4-	<0.01 mg/kg	LC-MS-MS
- Dimethylphenyl-N-methylformamidine, N-2,4-	<0.01 mg/kg	LC-MS-MS
Anilazine	<0.05 mg/kg	LC-MS-MS
Anilofos	<0.01 mg/kg	LC-MS-MS
Atrazine	<0.01 mg/kg	LC-MS-MS
Atrazine, Desethyl-	<0.01 mg/kg	LC-MS-MS
Atrazine, Desisopropyl-	<0.01 mg/kg	LC-MS-MS

Investigated parameter	Result	Employed method
Azaconazole	<0.01 mg/kg	LC-MS-MS
Azamethiphos	<0.01 mg/kg	LC-MS-MS
Azinphos-Ethyl	<0.01 mg/kg	LC-MS-MS
Azinphos-Methyl	<0.01 mg/kg	LC-MS-MS
Aziprotryne	<0.01 mg/kg	LC-MS-MS
Azoxystrobin	<0.01 mg/kg	LC-MS-MS
Barban	<0.01 mg/kg	LC-MS-MS
Benalaxyl	<0.01 mg/kg	LC-MS-MS
Benfluralin	<0.01 mg/kg	GC-MS
Bensulfuron-Methyl	<0.01 mg/kg	LC-MS-MS
Benthiavalicarb-Isopropyl	<0.01 mg/kg	LC-MS-MS
Benzoximate	<0.01 mg/kg	LC-MS-MS
Benzoylprop-Ethyl	<0.01 mg/kg	GC-MS
Benzthiazuron	<0.01 mg/kg	LC-MS-MS
Bifenazate	<0.01 mg/kg	LC-MS-MS
Bifenox	<0.01 mg/kg	LC-MS-MS
Bifenthrin	<0.01 mg/kg	LC-MS-MS
Biphenyl	<0.01 mg/kg	GC-MS
Bitertanol	<0.01 mg/kg	LC-MS-MS
Boscalid	<0.01 mg/kg	LC-MS-MS
Boscalid	<0.01 mg/kg	LC-MS-MS
Bromacil	<0.01 mg/kg	LC-MS-MS
Bromfenvinfos	<0.01 mg/kg	GC-MS
Bromophos-Ethyl	<0.01 mg/kg	GC-MS
Bromophos-Methyl	<0.01 mg/kg	GC-MS
Bromopropylate	<0.01 mg/kg	GC-MS
Bromuconazole	<0.01 mg/kg	LC-MS-MS
Bupirimate	<0.01 mg/kg	LC-MS-MS
Buprofezin	<0.01 mg/kg	LC-MS-MS
Butafenacil	<0.01 mg/kg	LC-MS-MS
Butocarboxim	<0.01 mg/kg	LC-MS-MS
Butocarboxim Sulfoxide	<0.01 mg/kg	LC MS MS

Investigated parameter	Result	Employed method
Buturon	<0.01 mg/kg	LC-MS-MS
Butylate	<0.01 mg/kg	LC-MS-MS
Cadusafos	<0.01 mg/kg	LC-MS-MS
Captan	<0.02 mg/kg	GC-MS
Carbaryl	<0.01 mg/kg	LC-MS-MS
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)	<0.01 mg/kg	LC-MS-MS
Carbetamide	<0.01 mg/kg	LC-MS-MS
Carbophenothion	<0.01 mg/kg	LC-MS-MS
Carboxin	<0.01 mg/kg	LC-MS-MS
Carfentrazone-Ethyl	<0.01 mg/kg	LC-MS-MS
Chlorbromuron	<0.01 mg/kg	LC-MS-MS
Chlorbufam	<0.01 mg/kg	GC-MS
Chlorbufam	<0.01 mg/kg	GC-MS
Chlordane (sum of cis- and trans-chlordane)		
- Chlordane, cis-/alpha-,	<0.01 mg/kg	GC-MS
- Chlordane, trans-/gamma-,	<0.01 mg/kg	GC-MS
Chlorfenapyr	<0.01 mg/kg	GC-MS
Chlorfenprop-Methyl	<0.01 mg/kg	GC-MS
Chlorfenvinphos	<0.01 mg/kg	LC-MS-MS
Chlorfluazuron	<0.01 mg/kg	LC-MS-MS
Chloridazon	<0.01 mg/kg	LC-MS-MS
Chlormephos	<0.01 mg/kg	GC-MS
Chloroneb	<0.01 mg/kg	GC-MS
Chloropropylate	<0.01 mg/kg	GC-MS
Chlorothalonil	<0.05 mg/kg	GC-MS
Chlorotoluron	<0.01 mg/kg	LC-MS-MS
Chloroxuron	<0.01 mg/kg	LC-MS-MS
Chlorpropham	<0.01 mg/kg	GC-MS
Chlorpyrifos (-Ethyl)	<0.01 mg/kg	LC-MS-MS

Investigated parameter	Result	Employed method
Cycloxydim	<0.01 mg/kg	LC-MS-MS
Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers))	<0.01 mg/kg	GC-MS
Cyhalothrin, lambda-	<0.01 mg/kg	GC-MS
Cymoxanil	<0.01 mg/kg	LC-MS-MS
Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers))	0.039 mg/kg	LC-MS-MS
Cyphenothrin	<0.01 mg/kg	LC-MS-MS
Cyproconazole	<0.01 mg/kg	LC-MS-MS
Cyprodinil	<0.01 mg/kg	LC-MS-MS
Cyromazine	<0.02 mg/kg	LC-MS-MS
DDD, o,p-	<0.005 mg/kg	GC-MS
DDE, o,p-	<0.005 mg/kg	GC-MS
DDE, o,p-	<0.005 mg/kg	GC-MS
DDT (sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) expressed as DDT)		
- DDT, o,p-	<0.005 mg/kg	GC-MS
- DDT, p,p-	<0.005 mg/kg	GC-MS
- DDE, p,p-	<0.005 mg/kg	GC-MS
- DDD, p,p-	<0.005 mg/kg	GC-MS
Deltamethrin	<0.01 mg/kg	LC-MS-MS
Demeton-S	<0.01 mg/kg	LC-MS-MS
Demeton-S-Methyl	<0.01 mg/kg	LC-MS-MS
Desmedipham	<0.01 mg/kg	LC-MS-MS
Desmetryn	<0.01 mg/kg	LC-MS-MS
Diafenthiuron	<0.01 mg/kg	LC-MS-MS
Dialifos	<0.01 mg/kg	LC-MS-MS
Diazinon	<0.01 mg/kg	LC-MS-MS
Dibrom (Naled)	<0.01 mg/kg	LC-MS-MS
Dicaphton	<0.01 mg/kg	GC-MS

Chlorpyrifos-Methyl	<0.01 mg/kg	LC-MS-MS
Chlorsulfuron	<0.01 mg/kg	LC-MS-MS
Chlorthal-Dimethyl	<0.01 mg/kg	GC-MS
Chlorthiamid	<0.01 mg/kg	LC-MS-MS
Chlorthion	<0.01 mg/kg	GC-MS
Chlorthiophos	<0.01 mg/kg	LC-MS-MS
Chlozolinate	<0.01 mg/kg	GC-MS
Chromafenozid	<0.01 mg/kg	LC-MS-MS
Cinidon-Ethyl	<0.01 mg/kg	LC-MS-MS
Cinosulfuron	<0.02 mg/kg	LC-MS-MS
Clethodim (sum of Sethoxydim and Clethodim)		
- <i>Clethodim</i>	<0.01 mg/kg	LC-MS-MS
- <i>Sethoxydim</i>	<0.01 mg/kg	LC-MS-MS
Clodinafop-Propargyl	<0.01 mg/kg	LC-MS-MS
Clofentezine	<0.01 mg/kg	LC-MS-MS
Clomazone	<0.01 mg/kg	LC-MS-MS
Cloquintocet-Mexyl	<0.01 mg/kg	LC-MS-MS
Coumaphos	<0.01 mg/kg	LC-MS-MS
Crimidine	<0.01 mg/kg	LC-MS-MS
Crotoxyphos	<0.01 mg/kg	LC-MS-MS
Crufomate	<0.01 mg/kg	LC-MS-MS
Cyanazine	<0.01 mg/kg	LC-MS-MS
Cyanofenphos	<0.01 mg/kg	LC-MS-MS
Cyazofamid	<0.01 mg/kg	LC-MS-MS
Cycloate	<0.01 mg/kg	LC-MS-MS

Investigated parameter	Result	Employed method
Dinotefuran	<0.01 mg/kg	LC-MS-MS
Dioxacarb	<0.01 mg/kg	LC-MS-MS
Diphenamid	<0.01 mg/kg	LC-MS-MS
Diphenylamine	<0.01 mg/kg	GC-MS
Dipropetryn	<0.01 mg/kg	LC-MS-MS
Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)		
- <i>Disulfoton</i>	<0.01 mg/kg	GC-MS
- <i>Disulfoton-Sulfone</i>	<0.01 mg/kg	LC-MS-MS
- <i>Disulfoton-Sulfoxide</i>	<0.01 mg/kg	LC-MS-MS
Ditalimfos	<0.01 mg/kg	LC-MS-MS
Diuron	<0.01 mg/kg	LC-MS-MS
Dodemorph	<0.01 mg/kg	LC-MS-MS
Edifenphos	<0.01 mg/kg	LC-MS-MS
Emamectin benzoate B1a, expressed as emamectin	<0.01 mg/kg	LC-MS-MS

Dichlobenil	<0.01 mg/kg	GC-MS
Dichlofenthion	<0.01 mg/kg	LC-MS-MS
Dichlofluanid	<0.01 mg/kg	LC-MS-MS
Dichlorvos	<0.01 mg/kg	LC-MS-MS
Diclobutrazol	<0.01 mg/kg	LC-MS-MS
Diclofop-Methyl	<0.01 mg/kg	LC-MS-MS
Dicloran	<0.01 mg/kg	GC-MS
Dicofol (sum of p, p' and o,p' isomers)	<0.01 mg/kg	GC-MS
Dicrotophos	<0.01 mg/kg	LC-MS-MS
Diethofencarb	<0.01 mg/kg	LC-MS-MS
Difenoconazole	<0.01 mg/kg	LC-MS-MS
Difenoxyuron	<0.01 mg/kg	LC-MS-MS
Diflubenzuron	<0.01 mg/kg	LC-MS-MS
Diflufenican	<0.01 mg/kg	LC-MS-MS
Dimefox	<0.01 mg/kg	LC-MS-MS
Dimefuron	<0.01 mg/kg	LC-MS-MS
Dimethachlor	<0.01 mg/kg	LC-MS-MS
Dimethenamid	<0.01 mg/kg	LC-MS-MS
Dimethirimol	<0.01 mg/kg	LC-MS-MS
Dimethoate (sum of dimethoate and omethoate expressed as dimethoate)	0.020 mg/kg	
- <i>Dimethoate</i>	0.002 mg/kg	LC-MS-MS
- <i>Omethoate</i>	0.017 mg/kg	LC-MS-MS
Dimethomorph	<0.01 mg/kg	LC-MS-MS
Dimoxystrobin	<0.01 mg/kg	LC-MS-MS
Diniconazole	<0.01 mg/kg	LC-MS-MS

Investigated parameter	Result	Employed method
Fenpropathrin	<0.01 mg/kg	LC-MS-MS
Fenpropidin	<0.01 mg/kg	LC-MS-MS
Fenpropimorph	<0.01 mg/kg	LC-MS-MS
Fenpyroximate	<0.01 mg/kg	LC-MS-MS
Fenson	<0.01 mg/kg	GC-MS
Fensulfothion	<0.01 mg/kg	LC-MS-MS
Fensulfothion-Sulfone	<0.01 mg/kg	LC-MS-MS
Fenthion	<0.01 mg/kg	LC-MS-MS
Fenthion-Sulfoxide	<0.01 mg/kg	LC-MS-MS
Fenuron	<0.01 mg/kg	LC-MS-MS
Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate)	<0.02 mg/kg	LC-MS-MS
Fipronil	<0.01 mg/kg	LC-MS-MS
Flamprop-Isopropyl	<0.01 mg/kg	LC-MS-MS
Flamprop-Methyl	<0.01 mg/kg	LC-MS-MS
Flazasulfuron	<0.01 mg/kg	LC-MS-MS

Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expresses as endosulfan)		
- <i>Endosulfan, alpha</i>	<0.01 mg/kg	GC-MS
- <i>Endosulfan, beta</i>	<0.01 mg/kg	GC-MS
- <i>Endosulfan-sulphate</i>	<0.01 mg/kg	GC-MS
Endrin	<0.01 mg/kg	GC-MS
Endrin Aldehyde	<0.01 mg/kg	GC-MS
Endrin, Keto-	<0.01 mg/kg	GC-MS
EPN	<0.01 mg/kg	LC-MS-MS
Epoxiconazole	<0.01 mg/kg	LC-MS-MS
EPTC	<0.05 mg/kg	GC-MS
Etaconazole	<0.01 mg/kg	LC-MS-MS
Ethidimuron	<0.01 mg/kg	LC-MS-MS
Ethiofencarb	<0.01 mg/kg	LC-MS-MS
Ethiofencarb-Sulfone	<0.01 mg/kg	LC-MS-MS
Ethiofencarb-Sulfoxide	<0.01 mg/kg	LC-MS-MS
Ethion	<0.01 mg/kg	LC-MS-MS

Ethirimol	<0.01 mg/kg	LC-MS-MS
Ethofumesate	<0.01 mg/kg	LC-MS-MS
Ethoprophos	<0.01 mg/kg	LC-MS-MS
Etofenprox	<0.01 mg/kg	LC-MS-MS
Etoxazole	<0.01 mg/kg	LC-MS-MS
Etrimfos	<0.01 mg/kg	LC-MS-MS
Famoxadone	<0.01 mg/kg	LC-MS-MS
Famphur	<0.01 mg/kg	LC-MS-MS
Fenamidone	<0.01 mg/kg	LC-MS-MS
Fenamiphos	<0.01 mg/kg	LC-MS-MS
Fenarimol	<0.01 mg/kg	LC-MS-MS
Fenazaquin	<0.01 mg/kg	LC-MS-MS
Fenbuconazole	<0.01 mg/kg	LC-MS-MS
Fenchlorazole-Ethyl	<0.01 mg/kg	LC-MS-MS
Fenchlorphos	<0.01 mg/kg	GC-MS
Fenfuram	<0.01 mg/kg	LC-MS-MS
Fenhexamid	<0.01 mg/kg	LC-MS-MS

Fenitrothion	<0.01 mg/kg	LC-MS-MS
Fenobucarb	<0.05 mg/kg	LC-MS-MS
Fenoxaprop-Ethyl	<0.01 mg/kg	LC-MS-MS
Fenoxycarb	<0.01 mg/kg	LC-MS-MS
Fenpiclonil	<0.01 mg/kg	LC-MS-MS

Florasulam	<0.01 mg/kg	LC-MS-MS
Fluazifop-P-Butyl	<0.01 mg/kg	LC-MS-MS
Fluazuron	<0.01 mg/kg	LC-MS-MS
Fluchloralin	<0.01 mg/kg	GC-MS
Flucythrinate	<0.01 mg/kg	GC-MS
Flufenacet	<0.01 mg/kg	LC-MS-MS
Flufenoxuron	<0.01 mg/kg	LC-MS-MS
Flumetralin	<0.01 mg/kg	GC-MS
Flumioxazin	<0.01 mg/kg	LC-MS-MS
Fluometuron	<0.01 mg/kg	LC-MS-MS
Fluopicolide	<0.01 mg/kg	LC-MS-MS
Fluoroglycofen-Ethyl	<0.01 mg/kg	LC-MS-MS
Fluquinconazole	<0.01 mg/kg	LC-MS-MS
Fluridone	<0.01 mg/kg	LC-MS-MS
Flurochloridone	<0.01 mg/kg	LC-MS-MS
Fluroxypyr-Meptyl	<0.01 mg/kg	LC-MS-MS
Flurtamone	<0.01 mg/kg	LC-MS-MS

Flusilazole	<0.01 mg/kg	LC-MS-MS
Fluthiacet-Methyl	<0.01 mg/kg	LC-MS-MS
Flutriafol	<0.01 mg/kg	LC-MS-MS
Fluvalinate, tau-	<0.01 mg/kg	LC-MS-MS
Folpet	<0.02 mg/kg	GC-MS
Fomesafen	<0.01 mg/kg	LC-MS-MS
Fonofos	<0.01 mg/kg	LC-MS-MS
Forchlorfenuron	<0.01 mg/kg	LC-MS-MS
Formetanate	<0.01 mg/kg	LC-MS-MS
Formothion	<0.01 mg/kg	LC-MS-MS
Fosthiazate	<0.01 mg/kg	LC-MS-MS
Fuberidazole	<0.01 mg/kg	LC-MS-MS
Furalaxyl	<0.01 mg/kg	LC-MS-MS
Halfenprox	<0.01 mg/kg	LC-MS-MS
Halofenozide	<0.01 mg/kg	LC-MS-MS
Haloxypop	<0.05 mg/kg	LC-MS-MS
Haloxypop-ethoxyethyl	<0.01 mg/kg	LC-MS-MS

Haloxypop-P-Methyl	<0.01 mg/kg	LC-MS-MS
HCB	<0.01 mg/kg	GC-MS
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)		
- <i>Heptachlor</i>	<0.01 mg/kg	GC-MS

Investigated parameter	Result	Employed method
- Heptachlorepoxyd, cis-	<0.01 mg/kg	GC-MS
Heptenophos	<0.01 mg/kg	LC-MS-MS
Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer		
- HCH, alpha-	<0.005 mg/kg	GC-MS
- HCH, beta-	<0.005 mg/kg	GC-MS
- HCH, delta-	<0.005 mg/kg	GC-MS
Hexaconazole	<0.01 mg/kg	LC-MS-MS
Hexazinone	<0.01 mg/kg	LC-MS-MS
Hexythiazox	<0.01 mg/kg	LC-MS-MS
Imazalil	<0.01 mg/kg	LC-MS-MS
Imazaquin	<0.01 mg/kg	LC-MS-MS
Imidacloprid	<0.01 mg/kg	LC-MS-MS
Indoxacarb	<0.01 mg/kg	LC-MS-MS
Iodofenphos	<0.01 mg/kg	GC-MS
Iodosulfuron-Methyl	<0.01 mg/kg	LC-MS-MS
Iprobenfos	<0.01 mg/kg	LC-MS-MS
Iprodione	<0.01 mg/kg	LC-MS-MS
Iprovalicarb	<0.01 mg/kg	LC-MS-MS
Isocarbamid	<0.01 mg/kg	LC-MS-MS
Isocarbophos	<0.01 mg/kg	GC-MS
Isodrin	<0.01 mg/kg	GC-MS
Isufenphos	<0.01 mg/kg	LC-MS-MS
Isufenphos-Methyl	<0.01 mg/kg	LC-MS-MS
Isoprocarb	<0.01 mg/kg	LC-MS-MS
Isoproturon	<0.01 mg/kg	LC-MS-MS

Investigated parameter	Result	Employed method
- Methiocarb	<0.01 mg/kg	LC-MS-MS
- Methiocarb-Sulfone	<0.01 mg/kg	LC-MS-MS
- Methiocarb-Sulfoxide	<0.01 mg/kg	LC-MS-MS
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)		
- Methomyl	<0.01 mg/kg	LC-MS-MS
- Thiodicarb	<0.01 mg/kg	LC-MS-MS
Methoprotetryne	<0.01 mg/kg	LC-MS-MS
Methoxychlor	<0.01 mg/kg	GC-MS
Methoxyfenozide	<0.01 mg/kg	LC-MS-MS
Metobromuron	<0.01 mg/kg	LC-MS-MS
Metolachlor	<0.01 mg/kg	LC-MS-MS
Metolcarb	<0.01 mg/kg	LC-MS-MS
Metosulam	<0.01 mg/kg	LC-MS-MS
Metoxuron	<0.01 mg/kg	LC-MS-MS
Metrafenone	<0.01 mg/kg	LC-MS-MS
Metribuzin	<0.01 mg/kg	LC-MS-MS
Metsulfuron-Methyl	<0.01 mg/kg	LC-MS-MS
Mevinphos	<0.01 mg/kg	LC-MS-MS
Mirex	<0.01 mg/kg	GC-MS
Molinate	<0.01 mg/kg	LC-MS-MS
Monocrotophos	<0.01 mg/kg	LC-MS-MS
Monolinuron	<0.01 mg/kg	LC-MS-MS
Monuron	<0.01 mg/kg	LC-MS-MS
Myclobutanil	<0.01 mg/kg	LC-MS-MS

Isoxaben	<0.01 mg/kg	LC-MS-MS
Isoxadifen-Ethyl	<0.01 mg/kg	LC-MS-MS
Isoxaflutole	<0.01 mg/kg	LC-MS-MS
Isoxathion	<0.01 mg/kg	LC-MS-MS
Kresoxim-Methyl	<0.01 mg/kg	LC-MS-MS
Lenacil	<0.01 mg/kg	LC-MS-MS
Leptophos	<0.01 mg/kg	GC-MS
Lindan (HCH, gamma-)	<0.01 mg/kg	GC-MS
Linuron	<0.01 mg/kg	LC-MS-MS
Lufenuron	<0.01 mg/kg	LC-MS-MS
Malathion (sum of malathion and malaoxon expressed as malathion)		
- <i>Malaoxon</i>	<0.01 mg/kg	LC-MS-MS
- <i>Malathion</i>	<0.01 mg/kg	LC-MS-MS
Mecarbam	<0.01 mg/kg	LC-MS-MS
Mefenpyr-Diethyl	<0.01 mg/kg	LC-MS-MS
Mepanipyrim	<0.01 mg/kg	LC-MS-MS
Mephosfolan	<0.01 mg/kg	LC-MS-MS
Mepronil	<0.01 mg/kg	LC-MS-MS
Metalaxyl	<0.01 mg/kg	LC-MS-MS
Metamitron	<0.01 mg/kg	LC-MS-MS
Metazachlor	<0.01 mg/kg	LC-MS-MS
Metconazole	<0.01 mg/kg	LC-MS-MS
Methabenzthiazuron	<0.01 mg/kg	LC-MS-MS
Methacrifos	<0.01 mg/kg	LC-MS-MS
Methamidophos	<0.01 mg/kg	LC-MS-MS
Methfuroxam	<0.01 mg/kg	LC-MS-MS
Methidathion	<0.01 mg/kg	LC-MS-MS

Napropamide	<0.01 mg/kg	LC-MS-MS
Neburon	<0.01 mg/kg	LC-MS-MS
Nicosulfuron	<0.01 mg/kg	LC-MS-MS
Nitenpyram	<0.01 mg/kg	LC-MS-MS
Nitralin	<0.01 mg/kg	LC-MS-MS
Nitrofen	<0.01 mg/kg	GC-MS
Norflurazon	<0.01 mg/kg	LC-MS-MS
Novaluron	<0.01 mg/kg	LC-MS-MS
Nuarimol	<0.01 mg/kg	LC-MS-MS
Oxadiazon	<0.01 mg/kg	LC-MS-MS
Oxadixyl	<0.01 mg/kg	LC-MS-MS
Oxamyl	<0.01 mg/kg	LC-MS-MS
Oxamyl-Oxime	<0.01 mg/kg	LC-MS-MS
Oxycarboxin	<0.01 mg/kg	LC-MS-MS
Oxychlordane	<0.01 mg/kg	GC-MS
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)		
- <i>Oxydemeton-Methyl</i>	<0.01 mg/kg	LC-MS-MS
- <i>Demeton-S-Methylsulfone</i>	<0.01 mg/kg	LC-MS-MS
Oxyfluorfen	<0.01 mg/kg	GC-MS
Paclobutrazol	<0.01 mg/kg	LC-MS-MS
Paraoxon	<0.01 mg/kg	LC-MS-MS
Parathion	<0.01 mg/kg	GC-MS
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)		
- <i>Parathion-Methyl</i>	<0.01 mg/kg	GC-MS
- <i>Paraoxon-Methyl</i>	<0.01 mg/kg	LC-MS-MS

Investigated parameter	Result	Employed method
Pendimethalin	<0.01 mg/kg	LC-MS-MS
Pentachloroanisole	<0.01 mg/kg	GC-MS
Permethrin (sum of cis and trans isomers)	<0.01 mg/kg	LC-MS-MS
Phenmedipham	<0.01 mg/kg	LC-MS-MS
Phenthoate	<0.01 mg/kg	LC-MS-MS
Phenylphenol, 2-	<0.01 mg/kg	GC-MS
Phorate	<0.01 mg/kg	LC-MS-MS
Phorate-Sulfone	<0.01 mg/kg	LC-MS-MS
Phorate-Sulfoxide	<0.01 mg/kg	LC-MS-MS
Phosalone	<0.01 mg/kg	LC-MS-MS
Phosmet	<0.01 mg/kg	LC-MS-MS
Phosphamidon	<0.01 mg/kg	LC-MS-MS
Phoxim	<0.01 mg/kg	LC-MS-MS
Picolinafen	<0.01 mg/kg	LC-MS-MS
Picoxystrobin	<0.01 mg/kg	LC-MS-MS
Piperonyl-Butoxide	<0.01 mg/kg	LC-MS-MS
Pirimicarb (sum of pirimicarb and desmethyl pirimicarb expressed as pirimicarb)		
- Pirimicarb	<0.01 mg/kg	LC-MS-MS
- Pirimicarb, Desmethyl-	<0.01 mg/kg	LC-MS-MS
Pirimicarb, Desmethylformamido-	<0.01 mg/kg	LC-MS-MS
Pirimiphos-Ethyl	<0.01 mg/kg	LC-MS-MS
Pirimiphos-Methyl	<0.01 mg/kg	LC-MS-MS
Primisulfuron-Methyl	<0.01 mg/kg	LC-MS-MS
Prochloraz	<0.01 mg/kg	LC-MS-MS
Procymidone	<0.01 mg/kg	GC-MS
Profenofos	<0.01 mg/kg	LC-MS-MS
Profluralin	<0.01 mg/kg	GC-MS
Profoxydim (Clefoxydim)	<0.01 mg/kg	LC-MS-MS
Promecarb	<0.01 mg/kg	LC-MS-MS
Prometon	<0.01 mg/kg	LC-MS-MS
Prometryn	<0.01 mg/kg	LC-MS-MS
Propachlor	<0.01 mg/kg	LC-MS-MS
Propamocarb	<0.01 mg/kg	LC-MS-MS
Propanil	<0.01 mg/kg	LC-MS-MS
Propargite	<0.01 mg/kg	LC-MS-MS
Propazine	<0.01 mg/kg	LC-MS-MS
Propetamphos	<0.01 mg/kg	LC-MS-MS
Propiconazole	<0.01 mg/kg	LC-MS-MS
Propisochlor	<0.01 mg/kg	LC-MS-MS
Propoxur	<0.01 mg/kg	LC-MS-MS
Propyzamide	<0.01 mg/kg	LC-MS-MS
Proquinazid	<0.01 mg/kg	LC-MS-MS
Prosulfocarb	<0.01 mg/kg	LC-MS-MS
Prosulfuron	<0.01 mg/kg	LC-MS-MS
Prothiofos	<0.01 mg/kg	GC-MS

Investigated parameter	Result	Employed method
Pyridalyl	<0.01 mg/kg	LC-MS-MS
Pyridaphenthion	<0.01 mg/kg	LC-MS-MS
Pyrifenoxy	<0.01 mg/kg	LC-MS-MS
Pyrimethanil	<0.01 mg/kg	LC-MS-MS
Pyriproxyfen	<0.01 mg/kg	LC-MS-MS
Quinalphos	<0.01 mg/kg	LC-MS-MS
Quinoclamine	<0.01 mg/kg	LC-MS-MS
Quinoxifen	<0.01 mg/kg	LC-MS-MS
Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)		
- Quintozene	<0.01 mg/kg	GC-MS
- Pentachloroaniline	<0.01 mg/kg	GC-MS
Resmethrin (sum of isomers)	<0.01 mg/kg	LC-MS-MS
Rimsulfuron	<0.01 mg/kg	LC-MS-MS
Rotenone	<0.01 mg/kg	LC-MS-MS
S421	<0.01 mg/kg	GC-MS
Sebutylazine	<0.01 mg/kg	LC-MS-MS
Secbumeton	<0.01 mg/kg	LC-MS-MS
Silafluofen (Silaneophan)	<0.01 mg/kg	GC-MS
Silthiofam	<0.01 mg/kg	LC-MS-MS
Simazine	<0.01 mg/kg	LC-MS-MS
Simeconazole	<0.01 mg/kg	LC-MS-MS
Simetryn	<0.01 mg/kg	LC-MS-MS
Spinosad: sum of spinosyn A and spinosyn D, expressed as spinosad	<0.01 mg/kg	LC-MS-MS
Spirodiclofen	<0.01 mg/kg	LC-MS-MS
Spiromesifen	<0.01 mg/kg	LC-MS-MS
Spiroxamine	<0.01 mg/kg	LC-MS-MS
Sulcotrione	<0.01 mg/kg	LC-MS-MS
Sulfentrazone	<0.01 mg/kg	LC-MS-MS
Sulfosulfuron	<0.01 mg/kg	LC-MS-MS
Sulfotep	<0.01 mg/kg	LC-MS-MS
Sulprofos	<0.01 mg/kg	LC-MS-MS
Tebuconazole	<0.01 mg/kg	LC-MS-MS
Tebufenozide	<0.01 mg/kg	LC-MS-MS
Tebufenpyrad	<0.01 mg/kg	LC-MS-MS
Tebutam	<0.01 mg/kg	LC-MS-MS
Tebuthiuron	<0.01 mg/kg	LC-MS-MS
Tecnazene	<0.01 mg/kg	GC-MS
Teflubenzuron	<0.01 mg/kg	LC-MS-MS
Tefluthrin	<0.01 mg/kg	GC-MS
Temephos	<0.01 mg/kg	LC-MS-MS
TEPP	<0.01 mg/kg	LC-MS-MS
Tepraloxymid	<0.01 mg/kg	LC-MS-MS
Terbacil	<0.01 mg/kg	LC-MS-MS
Terbufos	<0.01 mg/kg	LC-MS-MS
Terbumeton	<0.01 mg/kg	LC-MS-MS

Pymetrozine	<0.01 mg/kg	LC-MS-MS
Pyraclufos	<0.01 mg/kg	LC-MS-MS
Pyraclostrobin	<0.01 mg/kg	LC-MS-MS
Pyraflufen-Ethyl	<0.01 mg/kg	LC-MS-MS
Pyrazophos	<0.01 mg/kg	LC-MS-MS
Pyrethrins (sum of Cinerin I-II, Jasmolin I-II and Pyrethrin I-II.)	<0.05 mg/kg	LC-MS-MS
Pyridaben	<0.01 mg/kg	LC-MS-MS
Pyridafol	<0.02 mg/kg	LC-MS-MS

Terbutylazine	<0.01 mg/kg	LC-MS-MS
Terbutryn	<0.01 mg/kg	LC-MS-MS
Tetrachlorvinphos	<0.01 mg/kg	LC-MS-MS
Tetraconazole	<0.01 mg/kg	LC-MS-MS
Tetradifon	<0.01 mg/kg	GC-MS
Tetramethrin	<0.01 mg/kg	LC-MS-MS
Thiabendazole	<0.01 mg/kg	LC-MS-MS
Thiabendazole, 5-Hydroxy-	<0.01 mg/kg	LC-MS-MS
Thiacloprid	<0.01 mg/kg	LC-MS-MS

Investigated parameter	Result	Employed method
Thiamethoxam (sum of thiamethoxam and clothianidin expressed as thiamethoxam)		
- <i>Thiamethoxam</i>	<0.01 mg/kg	LC-MS-MS
- <i>Clothianidin</i>	<0.01 mg/kg	LC-MS-MS
Thidiazuron	<0.01 mg/kg	LC-MS-MS
Thifensulfuron-Methyl	<0.01 mg/kg	LC-MS-MS
Thiofanox-Sulfone	<0.01 mg/kg	LC-MS-MS
Thiofanox-Sulfoxide	<0.01 mg/kg	LC-MS-MS
Thiometon	<0.01 mg/kg	LC-MS-MS
Thionazin	<0.01 mg/kg	LC-MS-MS
Thiophanate-Ethyl	<0.01 mg/kg	LC-MS-MS
Thiophanate-Methyl	<0.01 mg/kg	LC-MS-MS
Tolclofos-Methyl	<0.01 mg/kg	LC-MS-MS

Investigated parameter	Result	Employed method
Tri-Allate	<0.01 mg/kg	LC-MS-MS
Triasulfuron	<0.01 mg/kg	LC-MS-MS
Triazophos	<0.01 mg/kg	LC-MS-MS
Tribenuron-Methyl	<0.01 mg/kg	LC-MS-MS
Trichlorfon	<0.01 mg/kg	LC-MS-MS
Trichloronat	<0.01 mg/kg	LC-MS-MS
Tricyclazole	<0.01 mg/kg	LC-MS-MS
Trietazine	<0.01 mg/kg	LC-MS-MS
Trifloxystrobin	<0.01 mg/kg	LC-MS-MS
Triflumizole	<0.01 mg/kg	LC-MS-MS
Triflumuron	<0.01 mg/kg	LC-MS-MS
Triflusulfuron-Methyl	<0.01 mg/kg	LC-MS-MS
Triforine	<0.01 mg/kg	LC-MS-MS

Tolyfluanid	<0.01 mg/kg	LC-MS-MS
Tralkoxydim	<0.01 mg/kg	LC-MS-MS
Triadimefon and triadimenol (sum of triadimefon and triadimenol)		
- <i>Triadimefon</i>	<0.01 mg/kg	LC-MS-MS
- <i>Triadimenol</i>	<0.02 mg/kg	LC-MS-MS

Triticonazole	<0.01 mg/kg	LC-MS-MS
Uniconazole	<0.01 mg/kg	LC-MS-MS
Vamidothion	<0.01 mg/kg	LC-MS-MS
Vinclozolin	<0.01 mg/kg	GC-MS
Zoxamide	<0.01 mg/kg	LC-MS-MS

Parameter	Result	Qualification		
		Specification	Source	Evaluation
Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers)) (mg/kg)	0.039	max. 2.00 *	Regulation (EC) No. 396/2005	-
Dimethoate (sum of dimethoate and omethoate expressed as dimethoate) (mg/kg)	0.020	max. 0.20 *		-

Presence or absence of ingredients + present; - absent

01 Milk ingredients	-
02 Milk powder	-
03 Soya lecitin	-
04 Soya flour	-
05 Wheat flour	-
06 Wheat starch	-
07 Bread Crumbs	-
08 Egg ingredients	-
09 nut ingredients	-
10 Animal ingredients	-
11 Preservatives	-
12 Sulphite more than 100mg/kg	-

Allergens list: + present; - absent

01 Cow milk proteins	-
02 Lactose	-
03 Chicken-egg products	-
04 Soya protein	-
05 Soya oil	-
06 Gluten	-
07 Wheat	-
08 Rye	-
09 Beef	-
10 Pork	-
11 Chicken	-
12 Fish	-
13 Crustacean and shellfish	-
14 Corn/maize	-
15 Cocoa	-
16 Gelatine	-
17 Leguminous plant	-
18 Nuts	-
19 Nut oil	-
20 Peanut	-
21 Peanut oil	-
22 Sesame	-
23 Sesame oil	-
24 Glutamines	-
25 Sulphite /E220t/m	-
26 Fructose	-
27 Sacharose	-
28 Tatrazine E 102	-
29 Coriander	-
30 Celery	-
31 Umbelliferae	-
32 Carrots	-
33 Lupin	-
34 Mustard	-

Raw material:	
Sourcherry:	Pandy type red sourcherry of Hungarian origin, pesticides as per EU law
Water:	drinkable water from own well, tested by authorities

Properties: The product contains no genetically manipulated material, and while producing them, no gen-technology is applied GMO-contamination has been excluded during the treatment of the product. Product is conform European regulations.

Production process Period of production: June-July The process follows the relevant regulations regarding HACCP introduced in 2000. Flow chart with CCPs: see attached.
--

Environment and quality assurance information Since 2004 the company factory has been IFS certified. Certificate number: IFS-IS 165806 The traceability procedure traces from finished product back to raw materials. Microbiological examinations are carried out by an accredited laboratory.
--

Microbiological analysis report Measured by Wessling Hungary Kft Accredited Laboratory, dated 07.07.2016. - 15.07.2016. Report No: 342660/3 The laboratory is accredited under Reg. No: NAT-1-1009/2015 by NAT Product: 4250 ml tin Sourcherry, Pandy variety origin Hungary, 2016 harvest/crop/production Date acceptance of samples: 07.07.2016. 12:00 Period of sample analysing: 07.07.2016. - 15.07.2016.

Microbiological analysis	Measured value	Measuring method
Total number of living microbes CFU/g	0	MSZ ISO 4833:2014
Number of E.coli CFU/g	0	MSZ ISO 16649-2:2007
Number of Sulf.red.Clostridium CFU/g	0	MSZ ISO 15213:2006
Mold CFU/g	0	MSZ ISO 7954:1999
Yeast	0	MSZ ISO 7954:1999

Heavy metal declaration

Measured by Wessling Hungary Kft accredited laboratory, on 07.07.2016. - 15.07.2016.

The laboratory is accredited under Reg. No: NAT-1-1009/2015 by NAT

Product: 4250 ml tin Sourcherry, Pandy variety origin Hungary

2016 harvest/crop/production

Report nr: 342660/3

Heavy Metal	Measure	Measured value	Standards
Arsenic	mg/kg	<0,1	Sample preparation: MSZ EN 13805:2015 Method: EPA Method 6020A:2007
Mercury	mg/kg	<0,01	
Cadmium	mg/kg	<0,01	
Lead	mg/kg	<0,1	
Zinc	mg/kg	1,0	
Copper	mg/kg	1,1	
Chlorate	mg/kg	<0,01	(3) WBSE-103:2015
Perchlorate	mg/kg	<0,01	(4) WBSE-102:2015

Truck loading:	
6 tins/carton: 33 EUR pallets / truck 25 cartons/ pallet 150 tins/pallet 4.950 tins/truck	loose on pallet: 28 EUR pallets/truck 175 tins/pallets 4.900 tins/truck

We declare that the figures above represents the merchandise.

We declare that the figures above represents the merchandise sold/shipped to

21.07.2016.

Issued by: J. Horvath